

## Refine Search

### Search Results -

Term	Documents
(12 AND 11).PGPB,USPT,EPAB,JPAB,DWPI,TDBD.	0
(L12 AND L11).PGPB,USPT,EPAB,JPAB,DWPI,TDBD.	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L13

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Monday, July 25, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	L12 and l11	0	<u>L13</u>
<u>L12</u>	identifier adj4 quasi	17	<u>L12</u>
<u>L11</u>	l10 and l9	80	<u>L11</u>
<u>L10</u>	(compare or comparing or determine or determining) same (reference or referencing) same (('same' or identical) adj2 (object or location or address))	1440	<u>L10</u>
<u>L9</u>	(allocate or allocating) same (memory or heap)	23179	<u>L9</u>
<u>L8</u>	(allocate or allocating) same (memory or heap) same (identifier) same quasi same unique	0	<u>L8</u>
<u>L7</u>	object same (hash or hashing) same l5	9	<u>L7</u>
<u>L6</u>	L5 and l4	20	<u>L6</u>
<u>L5</u>	quasi adj unique	93	<u>L5</u>
<u>L4</u>	object oriented programming	13709	<u>L4</u>

L3 (quasi adj unique) and (pointer or heap) and object  
L2 quasi adj unique adj identifier  
L1 5900001.pn.

29 L3  
25 L2  
2 L1

END OF SEARCH HISTORY



Web Images Groups News Froogle Local **more »**

quasi-unique identifier and object

Search

Advanced Search  
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web**

Results 41 - 50 of about 138 for quasi-unique identifier and object. (0.33 seconds)

### Zvon - RFC 2707 [Job Monitoring MIB - V1.0] - MIB specification

... STATUS current DESCRIPTION "A **quasi-unique** 48-octet fixed-length string ID which identifies ... jmAttribute **OBJECT IDENTIFIER** ::= { jobmonMIBObjects 4 ...

[www.zvon.org/tmRFC/RFC2707/Output/chapter4.html](http://www.zvon.org/tmRFC/RFC2707/Output/chapter4.html) - 81k - [Cached](#) - [Similar pages](#)

### UniqueGenerator (Cactus Framework 1.6.1)

... Generates a **quasi-unique** id for a test case. ... theTestCase, long theTime) Generates a unique **identifier** for a ... Methods inherited from class java.lang.Object. ...

[cn-consult.dk/.../doc/api/framework-12/org/apache/cactus/internal/util/UniqueGenerator.html](http://cn-consult.dk/.../doc/api/framework-12/org/apache/cactus/internal/util/UniqueGenerator.html) - 12k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [PS] PAST: A large-scale, persistent peer-to-peer storage utility Peter ...

File Format: Adobe PostScript - [View as Text](#)

Files stored in PAST are associated with a **quasi-unique** field that is generated at ... **object** location and routing for large-scale peer-to-peer systems. ...

[research.microsoft.com/~antr/PAST/hotos.ps](http://research.microsoft.com/~antr/PAST/hotos.ps) - [Similar pages](#)

### [PDF] Storage management and caching in PAST, a large-scale, persistent ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

file's **identifier**. This statistical assignment of files to storage ... PAST are associated with a **quasi-unique** field that is gener- ...

[project-iris.net/irisbib/papers/past:sosp18/paper.pdf](http://project-iris.net/irisbib/papers/past:sosp18/paper.pdf) - [Similar pages](#)

### [PS] map-browse map-browse graphically displays a room-and-connections ...

File Format: Adobe PostScript - [View as Text](#)

\*where\*\*\* is a **quasi-unique** suffix. ... There are some important points:First, all that selecting an **object** does is to cause some information to be ...

[www.olib.org/~rkr/mud/software/map-browse/map-browse.ps](http://www.olib.org/~rkr/mud/software/map-browse/map-browse.ps) - [Similar pages](#)

### RFC 2707

Objects are identified in SNMP by an **OBJECT IDENTIFIER**. ... octets 41-48: A sequential or random US-ASCII number to make the ID **quasi-unique**. ...

[www.apps.ietf.org/rfc/rfc2707.html](http://www.apps.ietf.org/rfc/rfc2707.html) - 261k - [Cached](#) - [Similar pages](#)

### [PDF] Storage management and caching in PAST, a large-scale, persistent ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

file's **identifier**. This statistical assignment of files to storage ... in PAST are associated with a **quasi-unique** field that is gen- ...

[www.cs.cornell.edu/People/egs/714-spring05/past.pdf](http://www.cs.cornell.edu/People/egs/714-spring05/past.pdf) - [Similar pages](#)

### [PDF] Storage management and caching in PAST, a large-scale, persistent ...

File Format: PDF/Adobe Acrobat

file's **identifier**. This statistical assignment of files to storage ... distributed **object** location and routing for large-scale, peer-to-peer systems. ...

[portal.acm.org/ft\\_gateway.cfm?id=502053&type=pdf](http://portal.acm.org/ft_gateway.cfm?id=502053&type=pdf) - [Similar pages](#)

### RFC2707 - Job Monitoring MIB - V1.0-- - 中国协议分析网 - [ Translate this page ]

The server/device-side **identifier**, called the jmJobIndex **object**, SHALL be assigned